

# Setup for Acrobat PDF Printer

ANY program can make a PERFECT PDF for Wesco Graphics !!

Many programs, like InDesign or Quark have the ability to export PDFs. There are settings that we use to ensure we get a correct build for our presses.

However, there are some programs that do not directly export PDFs. This is not a problem, as with the installation of Acrobat **PRO** v7, v8, or v9 installed – in the Printers folder, a printer is installed – Adobe PDF.

**The Adobe PDF printer can be accessed by ANY software using the File -> Print selection.** This will use an Acrobat Distiller setting. The only trick is to set the Distiller Setting correctly.

A **4-color job** can use a 4-color CMYK photo, or a 3 color RGB photo.

A Black only job also can use a 4-color CMYK photo, or a 3 color RGB photo.


Everything will convert to Grayscale when you output the PDF – or when Wesco Graphics converts the file for you.

But a **Spot Color** job **MUST** use grayscale photos. While we can convert the text colors to 1 spot color, photos are a different animal. So use PhotoShop – or any software you have that will convert colors – to Grayscale – then place the photo into your page layout software.


## **PROGRAMS THAT NEED TO USE THE ADOBE PRINTER**

Here's an example that starts with MS Word file that everything "wrong" for printing on a press. It has an RGB photo & RGB colored text. Don't worry – these will be OK when we make the PDF.


Here's our starting point. A MS Word file. Because this job is going to be Spot Color on the Press, I've already converted the photo to Grayscale – BEFORE placing it in Word.



Next is File -> Print



Notice that I've selected the ADOBE PDF printer.




Select **PROPERTIES**

Make sure the **ADOBE PDF SETTINGS** tab is selected,

On Default Settings – select Press Quality. (This is a good starting point.)

Finally, hit the **EDIT** button.



## GENERAL

Change:


Compatibility to Acrobat 8 ( PDF 1.7 )


Resolution to 1200 dpi

UN-check the Optimize for Fast Web view.

You may have to adjust the Default page sizes, so send us a test page EARLY !!


Hit the SAVE AS button and save it as WESCO PRESS.





# IMAGES

Leave as the default.




## FONTS

Changes will be for:

**Embed** – Check this. We embed EVERYTHING into the PDF.

When embedding fails – change to IGNORE.



## COLOR

This is an IMPORTANT page.....

Settings File = **None**

Color Management Policies = **Convert ALL Colors to CMYK**

Document Rendering Intent = **Perceptual**

Working Spaces:

Gray = **Dot Gain 20%**

RGB = **sRGB IEC61966-2.1**


CMYK = **US Web Uncoated v2**

Preserve CMYK values for calibrated CMYK color spaces = **Checked**

Preserve under color removal and black generation = **Checked**

When transfer functions are found = **Apply**


Preserve halftone information = **Checked**



## ADVANCED


Allow Postscript file to override Adobe PDF settings = **UNCHECK**

Process DSC comments = **UNCHECK**




# STANDARDS


Compliance Standard = **NONE**




OK – that’s all the settings that are needed.  
So do another SAVE AS and overwrite the Wesco Press option file.




When that's finished – hit the **OK** button which will bring you back to the AdobePDF Settings tab. After making sure that WESCO PRESS is selected as the Default Settings choice, hit the **OK** button here.



That should bring you back to the main Print menu.  
Hit the **OK** button.




Save your PDF wherever you want it.




The new PDF is created with:

- All black text
- Grayscale photo
- CMYK colors

Don't worry about the Colors being made with 2 or more colors – we'll convert those to your press color when we receive the PDF files.





That's it !!!  
Load your PDFs to the FTP server.

HB